



# Lode Mines and Prospects in the Rooster Rock 7.5' Quadrangle, North Santiam Mining District, Marion and Clackamas Counties, Oregon – Lidar Base

2015

OPEN-FILE REPORT O-15-03

Lode Mines and Prospects in the North Santiam Mining District, Marion and Clackamas Counties, Oregon  
Compiled by Clark A. Niewendorp and Joseph W. Ghiorso

This project was funded in part by the U.S. Forest Service (FS), U.S. Department of Agriculture, under FS award number 12-CS-11061800-041, Mod #1.

PLATE 6 of 8

## DISCUSSION

The purpose of this map is to show the locations of 10 abandoned mine land (AML) features on a lidar base of the lower half of the Rooster Rock 7.5' quadrangle, Marion and Clackamas Counties, Oregon. A digital raster graphic (topographic) base is used to display the same AML features in a companion map (Plate 1).

These plates are part of an exchange-of-technology project related to how lidar-derived terrain data can be confidently and practically applied to the inventory of mine openings and other features associated with abandoned mine land. Using lidar to inventory AML features has a large potential for cost savings as a tool to aid field surveys. Lidar cannot completely replace field inspection of AML features, but the technology does provide a screening tool that will makes field surveys more accurate and efficient.

For this project, the North Santiam Mining District (NSMD) in the Cascade Range of Oregon was used as an example locale. This district is one of five gold/base metal mining districts that occur throughout the Cascade Range from the Columbia River to the California line, and the only one with full lidar coverage. The NSMD lies near the northeast corner of Marion County (Figure 1), within the Willamette National Forest, with dimensions roughly 17 km (~11 mi) long from east to west, and as much as 8 km (5 mi) at its widest (Figure 2). The primary access route is via the North Fork Road to Forest Road 2209. As can be seen in Figure 2, the Little North Santiam River flows westward through a fairly precipitous valley, the course of which serves to bisect the district and as the boundary between the Opal Creek Wilderness to the north and the Opal Creek Scenic Recreation Area to the south.

Topography in the district is characterized by rugged mountains that rise 914 to 1,524 m (3,000 to 5,000 ft) above sea level and by steeply incised valleys. Most of the area is densely forested with Douglas fir, Pacific silver fir, and Western Hemlock plant associations. Only rock cliffs are barren of timber. Lidar is capable of producing remarkably fine-scale bare earth (ground) scenes, even through this kind of tall, obscuring forest canopy and rugged topography. This quality gives lidar imagery as an application for AML inventory work real value because it can show where mine features were poorly documented or mapping inaccurate, and where openings are unknown.

After five periods of known mining in the NSMD at least 226 AML features (by this study's count) in the form of adits and open cuts/exploration pits, waste rock areas, etc. remain. Table 1 lists AMLs indexed to map number and name. The first mineral claims were made in the 1860s immediately west of this map area, near the confluence of Gold Creek and the North

Santiam River. Placer gold was first discovered there and an ensuing rush was short-lived. However, early prospectors also found well-defined fissure veins that carried copper with zinc and lead. By 1903, most claims for those minerals had been located. When Callahan and Buddington (1938) and Leever (1941) visited the district, the mines were inactive. It was not until 1977 that mining in the district resumed when the Shiny Rock Mining Corporation reopened the Ruth Mine and several other claims were developed. By 1992, all mining activity in the district ceased with the closing of the Ruth Mine.

The Oregon Department of Geology and Mineral Industries (DOGAMI) compiled the important mines in the district in Bulletin 14-D (Oregon Department of Geology and Mineral Industries, 1951) and Bulletin 61 (Brooks and Ramp, 1968). The work of Olson (1978), Pollock and Cummings (1985, 1986), Cummings and Pollock (1984), and Ma and others (2009) put the district in its regional context with Cascade Range stratigraphy and structure. Cox (1985) and George (1985) provided cultural property inventories and historical surveys of the district. Niewendorp and Geitgey (2010) compiled those sites into Mineral Information Layer for Oregon, release 2.

This lidar terrain analysis is based on a digital elevation model, which is derived from a triangulated irregular network (TIN) based on ground classified lidar elevation points. The ground elevation TINs are then exported as ArcInfo™ ASCII grids, at 1-m pixel resolution. The Esri Spatial Analyst extension in ArcGIS® 10.1 generated two different scenes, one as a shaded relief (hill) and the other as a slopeshade. The hillshade scene is a simulated three-dimensional terrain image based on simulated shading for a given sun location. Slope visualization assigns a color (e.g., levels of gray) to a pixel on the basis of the difference in elevation between that pixel and the pixels around it. In ArcMap™, the hillshade image was placed below the slopeshade image. The latter's visibility was set to be semi-transparent (50 percent) and 35 percent brightness. This setup simulates a blending effect, where the features of both layers can be seen. Although the hillshade and slopeshade scenes can be used on their own, the blending of the two tends to smooth the surface and consequently improves the graphic quality. Burns and Madin (2009) discussed other visualization techniques, including the use of a transparent elevation gradient over the hillshade or slopeshade to help determine which way is up.

The area of this project covers a portion of the Battle Ax 7.5' quadrangle and extends into three other quadrangles: Bagby Hot Springs, Elkhorn, and Battle Ax (Figure 2; also see Plates 1–5, 7, and 8).

## REFERENCES

- Brooks, H. C., and Ramp, L., 1968, Gold and silver in Oregon: Oregon Department of Geology and Mineral Industries Bulletin 61, 337 p.
- Burns, W. J., and Madin, I. P., 2009, Protocol for inventory mapping of landslide deposits from light detection and ranging (lidar) imagery: Oregon Department of Geology and Mineral Industries Special Paper 42, 42 p.
- Callaghan, E., and Buddington, A. F., 1938, Metalliferous mineral deposits of the Cascade Range in Oregon: U.S. Geological Survey Bulletin 893, 141 p.
- Cox, J. B., 1985, Little North Santiam Mining District: cultural resources inventory report: Detroit, Oreg., U.S. Dept. of Agriculture, Forest Service, Willamette National Forest, 34 p.
- Cummings, M. L., and Pollock, J. M., 1984, Field guide to the northern Cascade Range from Zigzag to Jawbone Flats, Oregon, with overviews of Poop Creek, Siski Butte, and Pinhead Buttes: Portland, Oreg., Portland State University, Department of Geology (prepared for Penrose Conference: Geochemistry of the environment near a high-level nuclear waste repository), 59 p.
- George, A. J., 1985, The Santiam mining district of the Oregon Cascades: a cultural property inventory and historical survey: Lyons, Oreg., Shiny Rock Mining Corporation, 336 p.
- Leever, W. H., 1941, Origin of the mineral deposits of the North Santiam District, Oregon: Corvallis, Oreg., Oregon State College master's thesis, 135 p.
- Ma, Lina, Madin, I. P., Olson, K. V., Watzig, R. J., Wells, R. E., Niem, A. R., and Priest, G. R., 2009, Oregon geologic data compilation (OGDC), release 5 (statewide): Oregon Department of Geology and Mineral Industries Digital Data Series.
- Niewendorp, C. A., and Geitgey, R. P., 2010, Mineral information layer for Oregon (MILO), release 2: Oregon Department of Geology and Mineral Industries Digital Data Series.
- Olson, J. P., 1978, Geology and mineralization of the North Santiam mining district, Marion County, Oregon: Corvallis, Oreg., Oregon State University master's thesis, 135 p.
- Oregon Department of Geology and Mineral Industries, 1951, Oregon metal mines handbook, northwestern Oregon: Oregon Department of Geology and Mineral Industries Bulletin 14-D, 166 p.
- Pollock, M. J., and Cummings, M. L., 1985, North Santiam mining area, Western Cascades—relations between alteration and volcanic stratigraphy: Part I, Discussion: Oregon Geology, vol. 47, no. 12, p. 139–145.
- Pollock, M. J., and Cummings, M. L., 1986, North Santiam mining area, Western Cascades—relations between alteration and volcanic stratigraphy: Part II, field trip guide: Oregon Geology, vol. 48, no. 1, p. 3–8.

Figure 1. Location map of the North Santiam Mining District.





Figure 2. Hillshade image of the North Santiam Mining District (NSMD), Marion and Clackamas counties, Oregon. White dashed line represents the portion of the NSMD that contains the majority of abandoned mine land sites; blue lines are quadrangle boundaries.



## MAP SYMBOL



- 1 (index number) Location of AML feature, see Table 1

**Warning: Respect the rights of private property owners. Understand that recreation in or around inactive mine sites is extremely dangerous and can result in serious injury or death. Stay out and stay alive!**

Table 1. Index to map numbers and AML names.

1 Five Spot (discovery)	6 Upper Granger
2 Five Spot crosscut	7 08-05-18a
3 Santiam 11 claim	8 08-05-18b
4 Santiam 11 (c)	9 08-05-07c
5 Santiam 11 (d)	10 08-05-07b

Names of AML features are based on a claim map by the Shiny Rock Mining Corp. (DOGAMI archives).



QUADRANGLE LOCATION			
Rooster Rock	Bagby Hot Springs	Bull of the Woods	
Elkhorn	Battle Ax	Mother Lode Mountain	
Lakehead Creek	Detroit	Idanha	

ADJOINING 7.5' QUADRANGLES



## NOTICE

This product is for informational purposes and may not have been prepared for or be suitable for legal, engineering, or surveying purposes. Users of this information should review or consult the primary data and information sources to ascertain the usability of the information. This publication cannot substitute for site-specific investigations by qualified practitioners. Site-specific data may give results that differ from the results shown in the publication. The views and conclusions contained in this document are those of the authors and should not be interpreted as necessarily representing the official policies, either expressed or implied, of the U.S. government.



For copies of this publication contact:  
Nature of the Northwest Information Center  
800 NE Oregon Street, Suite 905  
Portland, Oregon 97232  
telephone (971) 673-2331  
http://www.naturenw.org